

**t*f*i** everhot


**THE FINEST IN WATER HEATERS**



**EXCELLENCE  
IN WATER HEATING**

---

**INTERNAL TANKLESS COILS**







**Glass Lined Oil-Fired  
Hot Water Heaters**

- Rear Flue Models— 30, 50, 70 gallon tanks
- Center Flue Models—30, 50 gallon tanks
- Cobalt Porcelain Enamel Tanks
- Highest R Value in the industry



**Hot Water Storage  
Booster Tanks**

- Booster Storage Capacity— 30, 40, 50, 70 & 115 gallon tanks
- Available with quick-connect electrical harness kit



**Glass Lined Indirect  
Water Heaters**

- AquaPlus Models—40, 60, 80 & 115 gallon tanks
- Mega-coil design
- Brass connections




**Everhot External  
Tankless Heater**

- Solid copper construction
- Domestic heat exchangers ranging from 4 GPM to 125 GPM
- Heat exchangers for domestic hot water, heating loop, pools & snow melt



**Internal Tankless Coils**

- Domestic coils for new & old boilers
- Trufin copper tubing
- Cupronickel available per request
- Quick-ship available



**Tube Bundle**

- Replacement bundles for all manufactures
- Water-to-Water heat exchangers
- Steam-to-Water heat exchangers
- Available in copper cupronickel & stainless

PHONE: 617-924-3877

FAX: 617-924-7271

E-MAIL: sales@tfi-everhot.com












WEBSITE: www.tfi-everhot.com




























NOVEMBER 1ST, 2020
















FACTORY: Therma-Flow, Inc. 191 Arlington Street Watertown, MA 02472















## Trufin Tube Tankless Heaters














BOILER SERIES	HEATER NUMBER	CAP. GPM	CATEGORY
<b>AMERICAN</b>			
 <p><b>OAKMONT</b> 8—11 8" x 19 1/2" - 17 BH</p>	585-6	6	<b>A</b>
	585-8	8	
	585-10	10	
	585-12	12	
	585-15	15	
 <p><b>ARCOLINER WIDE BACK</b> 6 1/2" x 17 3/4" - 14 BH</p>	589-5	5	<b>B</b>
	589-6	6	
	589-8	8	
	589-10	10	
 <p><b>ARCOLINER N.B.</b> 4" IPS SCREW TYPE</p>	603-4	4	<b>B</b>
	604-5	5	
	605-6	6	
 <p><b>ARCOLEADER</b> 8" DIA. - 6 BH</p>	732-5	5	<b>D</b>
	743-6	6	
	748-8	8	
 <p><b>V—3 A—3</b> <b>FRA—3 PFA—3</b> <b>G—2 G—40</b> 7 1/2" DIA. - 6 BH</p>	226	4	<b>C</b>
	232	5	
	236	6	
	248	8	
	4010	10	
	4012	12	
4015	15		
 <p><b>A—5 FRA—5</b> Water Only* 4 1/4" x 14 1/2" - 8 BH</p>	534-4	4	<b>G</b>
	535-5	5	
	536-6	6	
	*538-8	8	
 <p><b>PFA—5</b> 5 3/4" x 11" - 6 BH</p>	505-5	5	<b>G</b>
	506-6	6	
	508-8	8	
	510-10	10	
<b>AXEMAN ANDERSON</b>			
 <p><b>Axe Anderson/AA</b> 6" x 7" - 6 BH</p>	AA-5	5	<b>G</b>
 <p><b>PVT</b> 8 1/8" x 8 1/8" - 8 BH</p>	PVT-5	5	<b>G</b>
 <p><b>WL</b> 8 3/4" x 7 3/4" - 8 BH</p>	AA-WL-5	5	<b>G</b>
 <p><b>NPO</b> 6 1/4" x 7 1/4" - 8 BH</p>	AA-NS-5	5	<b>G</b>












BOILER SERIES	HEATER NUMBER	CAP. GPM	CATEGORY
<b>BURNHAM</b>			
 <p><b>JUBILEE 100</b> <b>HOLIDAY 60-61-62</b> <b>PM-PB-PP</b> <b>HOLIDAY 6-72 GAS</b> Water Boilers 7 1/2" DIA. - 6 BH</p>	101-5	5	<b>G</b>
	101-6	6	
	101-8	8	
	101-10	10	
 <p><b>PACEMAKER</b> <b>HOL. 60-61-Steam</b> 7 1/2" DIA. - 6 BH</p>	201-4	4	<b>G</b>
	201-5	5	
	201-6	6	
 <p><b>JUBILEE 200-FR</b> Water Boilers 8" DIA. - 6 BH</p>	BTW-5	5	<b>D</b>
	BTW-6	6	
	BTW-8	8	
	BTW-10	10	
 <p><b>JUBILEE 200-FR</b> Steam Boilers 8" DIA. - 6 BH</p>	BTS-5	5	<b>G</b>
	BTS-6	6	
	BTS-8	8	
 <p><b>CB, PENN</b> 6" x 13 1/2" - 10 BH</p>	Penn 10-5	5	<b>G</b>
	Penn 10-6	6	
 <p><b>RSM</b> 6 1/8" x 11 1/8" - 12 BH</p>	RSM-5	5	<b>G</b>
	RSM-6	6	
 <p><b>RSA</b> 7" x 8" - 10 BH</p>	RSA-5	5	<b>G</b>
<b>BURNHAM</b>			
<b>SAME AS AMERICAN RADIATOR</b>			
 <p><b>V—1</b> <b>V—7</b> <b>V—8</b> 5" x 12 1/4" - 8 BH</p>	V1-5	5	<b>B</b>
	V1-6	6	
	V1-8	8	
 <p><b>V-7 ROUND and V-8</b> <b>MEGA STEAM</b> 7 1/2" DIA. - 6 BH</p>	V7-5	5	<b>B</b>
	V7-6	6	
	V7-8	8	
 <p><b>V-9 SERIES</b> 5" x 12 1/4" - 8 BH</p>	V9-10	10	<b>B</b>
	V9-12	12	
	V9-15	15	
 <p><b>V-11</b> 6" x 11 3/4" - 8 BH</p>	V-11-10	10	<b>B</b>
	V-11-12	12	
	V-11-15	15	
<b>COLUMBIA</b>			
 <p><b>EMERALD</b> 7" x 12 1/4" - 8 BH</p>	EM-5	5	<b>G</b>
 <p><b>GEM</b> 6" x 13 1/2" - 10BH</p>	GEM-5	5	<b>G</b>
















BOILER SERIES	HEATER NUMBER	CAP. GPM	CATEGORY
<b>CROWN</b>			
 <b>BON-AIR, CDB EMPIRE, ULTIMATE</b> 6 1/4" x 11 3/4" - 10 BH	ULT - 5 ULT - 6 ULT - 8	5 6 8	<b>F</b>
 <b>MONTEGO</b> 8" DIA. - 6 BH	DF - 5 DF - 6 DF - 8 DF - 10	5 6 8 10	<b>D</b>
 <b>ENERGY PAK</b> 6 3/8" DIA. - 6 BH	CEP-5 CEP-6 CEP-8 CEP-10	5 6 8 10	<b>D</b>
 <b>KINGSTON - KSZ</b> 5" x 12 1/4" - 8 BH	V1-5 V1-6 V1-8	5 6 8	<b>B</b>
 <b>TOBAGO - TWZ - CWI</b> 7 1/2" DIA. - 6 BH	V7-5 V7-6 V7-8	5 8 8	<b>B</b>
<b>DELCO—FLAT PLATE TYPE</b>			
 <b>DB 3—4—5</b> 8 3/4" x 20" - 16 BH	DB - 6 DB - 8 DB - 10	6 8 10	<b>G</b>
<b>DUNKIRK—DELCO—FEDERAL PARAGON—PIETRO (CAST IRON BOILERS)</b>			
 <b>DUNKIRK 13W—15W— S DELCO 525—1260 FED. OXFORD JUPITER (Specify) CONN. CTRS. 2 3/4" — 7"</b>	D - 5 D - 6 D - 8  150 - 5 150 - 6 150 - 8	5 6 8  5 6 8	<b>C</b>
<b>DUNKIRK</b>			
 <b>SUPER 13" LEXINGTON &amp; LEX. PAK</b> 8" DIA. - 6 BH	DF-5 DF-6 DF-8 DF-10	5 6 8 10	<b>D</b>
 <b>EMPIRE</b> 6 1/4" x 11 3/4" - 10 BH	ULT-5 ULT-6 ULT-8	5 6 8	<b>F</b>
 <b>EMPIRE II STEAM</b> 6 1/2" x 10 1/2" - 8 BH	STS-5 STS-6	5 6	<b>B</b>
<b>DUNKIRK—DELRAY—DELCO</b>			
 <b>2D—GAS 13 STEAM G.S.B.</b> 6 1/2" x 17" - 14 BH	GU-5 GU-6 GU-8	5 6 8	<b>B</b>
<b>ENERJET</b>			
 <b>ENERJET - SUPERIOR</b> 7 1/2" x 8" - 6 BH	EA-5	5	<b>G</b>

BOILER SERIES	HEATER NUMBER	CAP. GPM	CATEGORY
<b>H.B. SMITH</b>			
 <b>SERIES 8 HE WATER</b> 8" DIA. - 6 BH	PF-4 PF-5 PF-6	4 5 6	<b>D</b>
 <b>SERIES 8 HE STEAM</b> 5 1/8" x 10" - 8 BH	WBV-5	5	<b>B</b>
 <b>PAC 12-FD SERIES 8 WATER</b> 7 3/4" x 7 3/4" - 4 BH	FD-12-5 FD-12-6 FD-12-8	5 6 8	<b>B</b>
 <b>SERIES 8 STEAM</b> 7 1/4" x 7 1/4" - 4BH	ST-8-5	5	<b>B</b>
 <b>20-25-200-250 201-251 2500 A-L-ABC 2500 A-L</b> 6 1/2" x 12" - 12 BH	SS-6 SS-8 SS-10 SS-12 SS-15 SS-20	6 8 10 12 15 20	<b>A</b>
 <b>1100-1500 FLANGE TYPE</b> 6 1/2" x 16" - 14 BH	1500-5 1500-6 1500-8 1500-10	5 6 8 10	<b>G</b>
 <b>CENTURY GAS III 100-150-G300 SCREW TYPE 4" IPS</b>	30-4 30-5 30-6	4 5 6	<b>B</b>
 <b>OB-14</b> 12" DIA. - 6 BH	OB-14-5 OB-14-6 OB-14-8 OB-14-10 OB-14-12	5 6 8 10 12	<b>F</b>
 <b>28-STEAM BOILERS</b> 7 1/2" x 8 1/2" - 6 BH	28- 8 28-10 28-12 28-15	8 10 12 15	<b>F</b>
 <b>18 SERIES 19 SERIES</b> Specify Series 5 3/4" x 12" - 6 BH	18- 8 18-10 18-12 18-15	8 10 12 15	<b>F</b>
<b>HYDROTHERM</b>			
 <b>OS — SOT</b> 4 3/4" x 10" - 8 BH	ST - 5 ST - 6	5 6	<b>F</b>
 <b>AQUARIUS</b> 7 1/2" DIA. - 6 BH	AQ - 5 AQ - 6	5 6	<b>F</b>
 <b>VO—WT-WATER</b> 6" DIA. - 6 BH	VO - 4 VO - 5 VO - 6	4 5 6	<b>B</b>
 <b>VOA - STEAM</b> 5 3/4" x 11 1/4" - 10 BH	VOA - 5 VOA - 6 VOA - 8	5 6 8	<b>B</b>
 <b>PB150-180 (Water)</b> 7 3/4" x 7 3/4" - 4 BH  <b>PB150-180 (Steam)</b> 7 1/4" x 7 1/4" - 4 BH	FD12-5  ST8-5	5  5	<b>B</b>

BOILER SERIES	HEATER NUMBER	CAP. GPM	CATEGORY
<b>NATIONAL-U.S.-CRANE-THATCHER</b>			
 NAT.-U.S. 2-9-16-16C-20 25-28-32 THATCHER 0271-0754 8 3/4" x 20" - 16 BH	919 - 6 919 - 8 919-10 919-12 919-15 919-20	6 8 10 12 15 20	<b>A</b>
 NAT.-U.S. SUNRAY IV-19 CRANE-5 THATCHER-OC 6 1/2" x 17 1/2" - 10 BH	T195-5 T196-6 T198-8 T910-10	5 6 8 10	<b>B</b>
 NAT.-U.S. 17-18 70-101-109-209 300 CRANE 2-8-11-12 202-300-302 THATCHER-G-OP 7 1/4" DIA. - 6 BH	T104 T105 T106 T108 T110 T112 T115	4 5 6 8 10 12 15	<b>G</b>
 CRANE 15-26 6" DIA. - 4 BH	T-15-4 T-15-5 T-15-6 T-15-8	4 5 6 8	<b>B</b>
 NAT.-U.S. 12-12W Flange Type 7" x 22 1/2" - 16 BH	12-5 12-6 12-8	5 6 8	<b>E</b>
 NAT.-U.S. SUNRAY1-3-46 6 1/2" x 16 1/4" - 13 BH	119-5 119-6 119-8	5 6 8	<b>E</b>
 CRANE 14-16-20 (Specify Series)	14-5 14-6	5 6	<b>E</b>
 Extended Shell* 7 1/2" x 13 1/2" - 12 BH	*14 - 8 *14 -10	8 10	<b>A</b>
 73 70SS-SW 5" x 12 1/2" - 8 BH	73-5 73-6 73-8	5 6 8	<b>B</b>
<b>THATCHER (specify series)</b>			
 015 Through 020 6" x 20 1/4" - 12 BH 56 SERIES 7 3/4" x 19" - 14 BH 525 SERIES 6 1/4" x 14 1/4" - 12 BH	TH-5 TH-6 TH-8	5 6 8	<b>E</b>
 GOLDEN OILMASTER	Water Boilers Steam Boilers	Same as Burnham BTW Same as Burnham BTS	
T.F. GAS	Same as Burnham Holiday 70-80		
<b>NEW YORKER</b>			
 AP, S-AP, FR, WH 7" x 8" - 8 & 10 BH	NY-5 NY-6	5 6	<b>G</b>
 CLW- Water CLW- Steam 5" x 12 1/4" - 8 BH	V1-5 V1-6 V1-8	5 6 8	<b>B</b>
 NY 4 x 9 1/2 4" x 9 1/2" - 8 BH	NY 4 x 9 1/2	4	<b>G</b>

BOILER SERIES	HEATER NUMBER	CAP. GPM	CATEGORY
<b>PEERLESS</b>			
 JO-JOT 2-2T (Specify) 6 1/4" x 14 1/4" - 12 BH	PE-5 PE-6 PE-8 PE-10	5 6 8 10	<b>B</b>
 JO-JOT-EC 2-2T 7-7PF 60-61-81 WB LC / LCE 8" DIA. - 6 BH	PF-4 PF-5 PF-6 PF-8 PF-10 PF-12 PF-15 PF-20	4 5 6 8 10 12 15 20	<b>D</b>
 WBV- STEAM 6" x 10" - 8 BH	WBV-5 WBV-6	5 6	<b>B</b>
 ECT-STEAM 5 1/8" x 10" - 8 BH	ECT-5 ECT-6 ECT-8	5 6 8	<b>B</b>
 HEO 7 1/2" x 11" - 8 BH	HEO-5 HEO-6 HEO-8	5 6 8	<b>B</b>
<b>RICHMOND — RHEEM — RUUD</b>			
 RHEEM G-O-PO RICHMOND-RWA H-WFD-R-RW-PR (Specify Oil — Gas) 5 1/4" x 13 1/2" - 8 BH	RG - 5 RG - 6 RG - 8	5 6 8	<b>D</b>
 5 1/2" x 15 1/2" - 10 BH	RO - 5 RO - 6 RO - 8	5 6 8	<b>D</b>
<b>SLANT FIN</b>			
 LIBERTY WATER INTREPID - PT 7 1/2" DIA. - 6 BH	LW - 4 LW - 5 LW - 6 LW - 8 LW -10	4 5 6 8 10	<b>B</b>
 LIBERTY STEAM INTREPID - PZT 8 1/8" x 15 5/16" - 12 BH	LS - 5 LS - 6 LS - 8 LS - 10	5 6 8 10	<b>G</b>
 GALAXY MALIBU 8 3/4" x 15 3/4" - 12 BH	SF - 5 SF - 6 SF - 8 SF - 10	5 6 8 10	<b>B</b>
 VANTAGE II FUTURA 7 1/2" DIA. - 6 BH	FUT - 4 FUT - 5	4 5	<b>B</b>
 310 7 1/4" DIA. - 6 BH	T104 T105 T106 T108	4 5 6 8	<b>G</b>
 78 5" x 12 1/2" - 8 BH	73 - 5 73 - 6 73 - 8	5 6 8	<b>B</b>

BOILER SERIES	HEATER NUMBER	CAP. GPM	CATEGORY
<b>THERMO-DYNAMICS</b>			
 VTF 7 1/2" RD - 6 BH	V&E - 5 (Flat Sides)	5	G
	V&E - 6 (Flat Sides)	6	
 VTF, CWL, S 8" RD - 6 BH	55- 5 55- 6	5 6	G
<b>TRIANCO</b>			
 DBC NEWPORT HORIZON 7 1/2" x 7 1/2" - 8 BH	TR - 5	5	D
 TOC 5" x 13" - 8 BH	TOC - 5 TOC - 6 TOC - 8	5 6 8	D
<b>ULTIMATE</b>			
 6 1/4" x 11 3/4" - 10 BH	ULT - 5 ULT - 6 ULT - 8	5 6 8	
<b>UNITS 16 BOLT HOLES (BOLT-ON UNITS) SHELL TYPE FOR CAST IRON BOILERS</b>			
 AMERICAN 12 KOHLER 22 COLUMBIA DELCO-R & B RICHARDSON BRYANT 2440245 NATIONAL OLD STYLE 2-3-018 LB PIERCE-BUTLER 8 3/4" x 20" - 16 BH	919 - 6 919 - 8 919-10 919-12 919-15 919 -20	6 8 10 12 15 20	A
<b>UTICA</b>			
 STARFIRE ACE—OU 5 1/4" x 13 1/2" - 8 BH	U-5 U-6 U-8	5 6 8	D
 B—C OIL-GAS 6 1/2" x 10 1/2" - 8 BH	POBT-5 POBT-6 POBT-8	5 6 8	D
 STARFIRE II & III WATER 7" DIA. - 6 BH	STW-5 STW-6	5 6	B
 STARFIRE II & III STEAM 6 1/2" x 10 1/2" - 8 BH	STS-5 STS-6	5 6	B
<b>VAILLANT</b>			
 7 1/2" DIA. - 6BH	VA - 4 VA - 5 VA - 6	4 5 6	D

BOILER SERIES	HEATER NUMBER	CAP. GPM	CATEGORY
<b>WEIL-MCLAIN</b>			
 65-66-68—EG 42-62 WATER BOILERS (Specify Series) 7" DIA. - 6 BH	WE-624 WE-625 WE-626 WE-628 WE-610	4 5 6 8 10	C
 GOLD SERIES 7 3/4" DIA. - 6 BH	G0-5 G0-6 G0-8	5 6 8	C
 65-66-68—EG—GOLD STEAM BOILERS 6" x 10" - 8 BH	65-S-5 65-S-6 65-S-8	5 6 8	B
 76—86—88 (Specify) STEAM BOILERS 6" x 10" - 8 BH 78 SERIES and 80 SERIES 5 1/4" x 10" - 8 BH	Series 76—78 avail. up to 15 gallons Series 86—88 avail. up to 20 gallons		B
<b>WEIL-MCLAIN MULTIPLE HEATERS CAN BE USED WITH 76 OR 86 STEAM BOILERS</b>			
 L.G. STEAM 4" x 11 1/2" - 8 BH	E30-5 E30-6 E30-8	5 6 8	F
 E-62 STEAM BOILERS E - 5 3/4" x 10 3/4" - 8 BH 62 - 5 1/4" x 8 3/4" - 6 BH	62 S-5 62 S-6 62 S-8	5 6 8	B
 57—77 78—85 8 3/4" x 20" - 16 BH	919-6 919-8 919-10 919-12 919-15 919-20	6 8 10 12 15 20	A
 72—73 6 1/4" x 10 1/4" - 10 BH	72-6 72-8 72-10 72-12 72-15	6 8 10 12 15	B
 82—84 6" x 14" - 10 BH	82-6 82-8 82-10 82-12 82-15	6 8 10 12 15	B
 OB—15 5 1/4" x 11 3/4" - 8 BH	OB-15-5 OB-15-6	5 6	D
 OB—18 5 1/4" x 13 1/2" - 8 BH	OB-18-5 OB-18-6	5 6	D
 92—94—K 5 3/4" x 7" - 6 BH	WM9210 WM9215 WM9220	10 15 20	B
 CGT 13 5/8" x 5 5/8" - 10 BH	CGT-6	6	G
<b>WILLIAMS—WINKLER STEWART WARNER</b>			
 OILOMATIC—C 6 1/4" x 14 1/4" - 12 BH	PE-OS-5 PE-OS-6 PE-OS-8 PE-OS-10	5 6 8 10	B
 6 1/4" x 17 1/2" - 14 BH	SW-6 SW-8 SW-10	6 8 10	B



**STEEL BOILER TANKLESS**  
PLEASE SPECIFY BOILER MAKE, SERIES AND NUMBER

BOILER					CAP. GPM	CATEGORY
Acme Dual	Delco	Homease	Norse	Smith-Pac 14	5	G
Albee	Della	Hornet	Natco	Spencer	6	
Aldrich	Diesel	Hydrotherm	Patco	Thermodynamics	7	
Atlantic	Edwards	International	Pacific	Timken	8	
Autoheat	Embassy	Iron Fireman	Paragon	Titusville	10	
Bethlehem	Esso	Kewanee	Peerless	Torrid Heat	12	
Berggren	Fitzgibbons	Keystone	Penn.	Transootherm	15	
Bryant	Federal	Koven	Percoflash	U.S. Htg. & Clg.	16	
Burnham C.B.	Fluid Heat	Loesch	Pietro	Utica	18	
Burnham R.S.M.	Gen. Automatic	Loline	Plymouth	V. & E.	20	
Continental	Gilbarco	Marietta	Portmar	Viking	24	
Crown	Gibraltar	Magic Heat	Quiet May	Wayne	25	
Crane	General Electric	Manville	Repc	Winkler	27	
Crotty	General Htg.	Mastercraft	Rheem	York Shipley	30	
Chrysler	Gentleman Jan.	Mont. Ward	Standard	Zambelli	35	
Columbia	Heil	National	Sears Roebuck		40	
Dallas	Homeart	New Yorker	Slant Fin			


**ADDITIONAL NET CHARGE FOR OVERSIZE PLATES ON SOME STEEL BOILERS — PLEASE INQUIRE.**

**WELDING FLANGE — FOR BOILERS WITH NO COIL OPENINGS — CONSULT FACTORY.**


**QUICK SERVICE ON RETUBING OF TANKLESS — PLEASE INQUIRE FOR BOILERS NOT LISTED.**

**ALL PLATE SIZES ARE APPROXIMATE.**


**FEDERAL—SDF— A & B—GFS  
HAMPTON—XL  
(CONTOURED)  
7 1/2" X 7 1/2" - 6 BH**




**FEDERAL—FVW—VGF—FTTW  
6" X 17" - 10 BH**




**FEDERAL FC-FD-FLR-FM-FCA-FLR-FM2  
PORTMAR-WINDSOR  
6" X 17" - 10 BH**




**KOVEN—DELCO—PARAGON—V & E  
5 1/2" X 13 1/2" - 8 BH**




**KOVEN—V & E—PIETRO—O.B.N.  
KOVEN—V & E 6" - 6 BH  
PIETRO—O.B.N. 6 1/4" - 6 BH**




**KOVEN—DELUXE  
8" X 14 1/4" - 14 BH**




**GIBRALTAR—PARAGON—V & E—REPCO—  
GENERAL HTG PRODUCTS—IRON FIRE  
7" DIA. - 6 BH**



**GIBRALTAR  
5 1/2" X 13 1/2" - 8 BH**




**MANVILLE—MAGIC HEAT  
PACIFIC—SPENCER—COLUMBIA  
1" LOCK NUT CONN.**




**KEWANEE R—3R—83R  
R—5" X 12 1/2" - 8 BH  
3R—6 1/4" X 15 1/2" - 8 BH  
83R—6 1/4" X 15 1/2" - 12 BH**




**NATIONAL—PACIFIC  
SERIES 200 THRU 700  
5 1/2" X 17 1/4" - 12 BH**




**PORTMAR—NORSE—DELTA  
8" DIA. - 8 BH**




**GENERAL ELECTRIC  
LA 25E THRU 70 E  
1" LOCK NUT CONN.**




**IRON FIREMAN  
FAIRBANKS MORSE  
UTICA—TORRID HEAT  
6" X 16 1/2" - 16 BH**




**CROTTY—ZAMBELLI—GENT-JANITOR  
CROTTY—5" X 12 1/2" - 8 BH  
ZAMBELLI—6 1/4" X 13 1/2" - 8 BH  
GENT-JAN.—5" X 12" - 10 BH**




**FITZGIBBONS—400  
CHRYSLER AIRTEMP—PERCOFLASH  
4 3/8" X 13" - 6 BH**



**PERCOFLASH  
FITZGIBBONS—RZU JR.—80-200-4000  
FITZ 6" X 12" - 8 BH  
PERCOFLASH 5 3/4" X 13 1/2" - 8 BH**



**DIESEL—PLYMOUTH—EDWARDS  
DIESEL-PLYMOUTH— 6" X 16" - 10 BH  
EDWARDS—6" X 12 1/2" - 8 BH**



**CAPACITY RATING BASED ON TEMPERATURE RISE FROM 40° TO 140° WITH BOILER WATER 200°  
FIRING RATE TO BE SUITABLE FOR MAINTAINING 200° BOILER WATER — ON ALL UNITS.**

## **GUARANTEE**

Therma-Flow/Everhot products are guaranteed for one (1) year only to the extent of furnishing new parts for any found defect in manufacture. No claim for labor in replacing defective parts or for consequential damages will be allowed. Replacement parts will be billed in usual way with invoice subject to adjustment after alleged defective material is examined at plant. No materials to be returned without written permission.

## **RETURNED GOODS**

Products furnished by Therma-Flow/Everhot must not be returned except after obtaining written permission. When so returned, they should be shipped to 191 Arlington Street, Watertown, MA 02472, and will be subject to a deduction of twenty (20%) percent for re-handling. All transportation charges, including freight and cartage, will be paid by shipper. Material made on special order or obsolete products are not subject to return.

## **FREIGHT TERMS**

F.O.B. Shipping Point. Our responsibility ceases upon delivery to the transportation company at this point. For your protection, please examine shipment at its arrival to ascertain if in good order. In the event of any shortage or damage, have a full description made by transportation agent on expense bill before signing. All weights approximate. All shipments F.O.B. our plant.

