



FIRE SAFETY VALVES

PRODUCT SHEET

Features & Benefits

- Valves are listed as 'Fusible Link Valves' - UL842 for the US and Canada.
- High Quality brass construction with manual feature for use as a service valve.
- Straight and angle versions available for installation flexibility.
- Robust handwheel design, improved in 2018. 165°F or 200°F closing temperature, depending on model.
- Approved for kerosene, ASTM D396 for No1 & No2 fuel oil, ASTM D396 for B6-B20, and ASTM D975 for diesel fuel.

Part Numbers & Descriptions

Fusible Inline Valves

Part Number	Description	Temp
12810	3/8" FPT X 3/8" FPT	165°F
12811	3/8" FPT X 1/4" MPT	165°F
12830	1/2" FPT X 1/2" FPT	165°F
12840	3/8" ODF X 3/8" ODF	165°F
12850	1/2" ODF X 1/2" ODF	165°F
12815	3/8" FPT X 3/8" FPT	200°F
12818	3/8" FPT X 1/4" MPT	200°F
12819	1/2" FPT X 1/2" FPT	200°F
12820	3/8" ODF X 3/8" ODF	200°F
12821	1/2" ODF X 1/2" ODF	200°F

Fusible Bumer (Angle) Valves

12910	3/8" ODF X 1/4" MPT X 3/4" Long	200°F
12930	3/8" ODF X 1/4" MPT X 1-1/4" Long	200°F
12970	3/8" ODF X 1/4" MPT X 2" Long	200°F
12950	1/2" ODF X 1/4" MPT X 1-1/4" Long	200°F
12980	1/2" ODF X 1/4" MPT X 2" Long	200°F

Fusible Tank Valves

12620	3/8" MPT Inlet X 3/8" MPT Outlet Straight	165°F
12640	1/2" MPT In X 3/8" MPT Out 90° Btm Handle	165°F
12650	1/2" MPT In X 3/8" MPT Out 90° Side Handle	165°F

MPT= Male Pipe Thread, FPT= Female Pipe thread,
ODF= Outside Diameter Flare



www.beckettcorp.com

USA: **R.W. Beckett Corporation**, 1-800-645-2876

Canada: **R.W. Beckett Canada Ltd**, 1-800-665-6972

Printed in the USA 6/22 Form No. 62099-004 R00

This document and all information contained herein are the sole property of the R.W. Beckett Corporation and cannot be reproduced or transmitted in whole or part without express written permission of the R.W. Beckett Corporation.


Firomatic[®] FIRE SAFETY VALVES

PRODUCT SHEET

Part Numbers & Descriptions

Part Number	Description
Non-UL Listed Fusible Inline Valves	
12112	3/4" FPT X 3/4" FPT Inline Valve
12113	1" FPT X 1" FPT Inline Valve
Inline Check Valves	
12409	1/4" FPT X 1/4" FPT
12410	3/8" FPT X 3/8" FPT
12420	3/8" ODF X 3/8" ODF with flare nuts
12430	1/2" FPT X 1/2" FPT
12440	1/2" ODF X 1/2" ODF with flare nuts
Thermal Switches - UL Listed	
12501	Switch for 4" X 4" Square Box
12527	Switch for 4" Round / Octagon Box
Lever Valves, Kits and Parts	
12521	3/8" FPT X 3/8" FPT Lever Valve - Complete Kit
12522	3/8" FPT X 3/8" FPT Lever Valve - Valve Only
12523	1/2" FPT X 1/2" FPT Lever Valve - Complete Kit
12524	1/2" FPT X 1/2" FPT Lever Valve - Valve Only
12525	3/4" FPT X 3/4" FPT Lever Valve - Complete Kit
12526	3/4" FPT X 3/4" FPT Lever Valve - Valve Only
12541	Fuselink - 165°F
12543	Fuselink - 212°F
12547	Wire Coil - Lever Valve
12548	Pulley Assembly - Lever Valve
12549	Spring Take-Up - Lever Valve
Replacement Handwheels	
12510U	All Valves 3/8" - 3/4" 165°F - Each
12510BU	All Valves 3/8" - 3/4" 165°F - 25 Pack
12511U	All Valves 3/8" - 3/4" 200°F - Each
12511BU	All Valves 3/8" - 3/4" 200°F - 25 Pack
12512	1" Inline Valve - 165°F - Each
12513	1" Inline Valve - 200°F - Each

MPT= Male Pipe Thread, FPT= Female Pipe thread,
ODF= Outside Diameter Flare



www.beckettcorp.com

USA: **R.W. Beckett Corporation**, 1-800-645-2876

Canada: **R.W. Beckett Canada Ltd**, 1-800-665-6972

Printed in the USA 6/22 Form No. 62099-004 R00

This document and all information contained herein are the sole property of the R.W. Beckett Corporation and cannot be reproduced or transmitted in whole or part without express written permission of the R.W. Beckett Corporation.

Beckett[®]