

Honeywell
Model

McDonnell
& Miller
Model #

Models:

L7124A, L7248A,
L7248C, L8124A,
8124C, L8148A,
L8148C, L7124C,
L7148A, L7224A,
L7224C, L7224U
LA8148E
LA8124E

RW700A1007

900

900C

RW700B1039

900M

901

RW700B1021

901M

902M

PS-850-120

PS-850-24

PS-850-M-120

PS-850-M-24

PS-851-120

PS-851M-120

PS-802-

RX2-24

PS-851-

RX2-120

PS-851-M-

SP-120

RW700A1098

PS-852-24

PS-852-SP-24

PS-852-

M-SP-24

RB-120

RB-120II

RB-122

RB-24

RW700A1080

PS-801-120

PS-802-24

PS-802-

RX2-24

PS-800-120

PS-800-24

VW400A1004

WF-2-120

VW800A1004

WF-2-24

WF-4-120

WF-4-24

WF2-U-120V

WF2-U-24V

Description	Hydrolevel Model #
Universal Temperature Limit – 120VAC	3150 3250 3250-Plus
Universal Temperature Limit – 24VAC	3100 3200
Automatic Reset & Test Button/Light – 120 VAC	650
Automatic Reset & Test Button/Light – 120 VAC	650
Manual Reset & Test Button/Light – 120 VAC	550
Automatic Reset – 120 VAC	170
Manual Reset – 120 VAC	750
Manual Reset & Test Button/Light – 120 VAC	550
Automatic Reset & Test Button/Light – 120 VAC	650
Automatic Reset & Test Button/Light – 24 VAC	600
Manual Reset & Test Button/Light – 120 VAC	550
Manual Reset & Test Button/Light – 24 VAC	500
Automatic Reset & Test Button/Light – 120 VAC	650
Manual Reset & Test Button/Light – 120 VAC	550
Automatic Reset with delay / steam primary / remote probe – 24 VAC	400R
Automatic Reset & Test Button/Light / remote probe – 120 VAC	650R
Manual Reset & Test Button/ Light /short probe – 120 VAC	550SV
Automatic Reset & Test Button/Light – 24 VAC	600
Automatic Reset & Test Button/Light /short probe – 24 VAC	600SV
Manual Reset & Test Button/ Light/short probe- 24 VAC	500SV
Automatic Reset / heavy duty contacts – 120 VAC	170SV
Automatic Reset / heavy duty contacts – 120 VAC	170SV
Automatic Reset / compact size – 120 VAC	1150
Automatic Reset / compact size -with wiring harness – 24 VAC	1100
Automatic Reset with delay /steam primary – 120 VAC	450
Automatic Reset with delay /steam primary – 24 VAC	400
Automatic Reset with delay /steam primary / remote probe – 24 VAC	400R
Automatic Reset with delay /steam primary – 120 VAC	450
Automatic Reset with delay /steam primary – 24 VAC	400

Water Feeder M&M 2 gallon – Hydrolevel Adjustable – 120 VAC	VXT-120
Water Feeder M&M 2 gallon – Hydrolevel Adjustable – 24 VAC	VXT-24
Water Feeder M&M 4 gallon – Hydrolevel Adjustable – 120 VAC	VXT-120
Water Feeder M&M 4 gallon – Hydrolevel Adjustable – 24 VAC	VXT-24
Water Feeder M&M “Unimatch” – Hydrolevel Adjustable – 120 VAC	VXT-120
Water Feeder M&M “Unimatch” – Hydrolevel Adjustable – 24 VAC	VXT-24

Obsolete
Hydrolevel
Model #

OEM 170C

OEM 170MC
OEM 170
OEM 170M

OEM 24C

OEM 24MC

OEM 170TD
OEM 24TD

V-120-1&2

V-24-1&2